

## **AMENDMENTS TO THE CLAIMS**

This listing of claims will replace all prior versions, and listings, of claims in the application:

### **Listing of Claims:**

1. (Currently Amended) A method comprising:

reading from a first software module binary a set of keys associated with a trusted source, wherein the set of keys is embedded in the first software module binary, the set of keys having been compiled and linked with a software module to generate the software module binary;

determining whether a key is traceable to one of the keys in the set of keys, the key being presented by or read from a second software module document comprising a digital signature of the software module binary is traceable to one of the keys in the set of keys;

determining whether the key is identified in a list of compromised keys; and  
if the key is not identified as compromised and is traceable to one of the keys in the set of keys, assigning the key a trusted status.

2. (Currently Amended) The method of claim 1 further comprising:

verifying the integrity of a the document, the document further comprising the key ~~and the list of compromised keys.~~

3. (Cancelled).

4. (Previously Presented) The method of claim 1 in which determining whether the key is traceable to one of the keys in the set of keys further comprises:

tracing the key through a certificate chain to one of the keys in the set of keys.

5. (Currently Amended) The method of claim 1 ~~further comprising:~~

~~associating a document comprising the key and the set of keys with the first software module comprising the set of keys using wherein the digital signature is a hash of the first software module binary in the document.~~

6. (Original) The method of claim 2 in which the document is a manifest signed by the key.

7. (Original) The method of claim 1 in which determining whether the key is identified in the list of compromised keys further comprises:  
searching the list of compromised keys for the key.

8. (Currently Amended) A method comprising:  
producing a document comprising an identification of a ~~first~~ software module binary and a list of compromised keys; and  
digitally signing the document using a key presented by or read from ~~a second software module~~the document and traceable to one key of a set of keys, wherein the set of keys is embedded in the ~~first software module binary~~, the set of keys having been compiled and linked with a software module to generate the software module binary.

9. (Currently Amended) The method of claim 8 in which the identification of the ~~first~~ software module binary comprises a hash value of the ~~first software module binary~~.

10. (Currently Amended) The method of claim 8 in which the key is traceable to one of the keys in the set of keys embedded in the ~~first software module binary~~ by way of a certificate chain.

11. (Currently Amended) The method of claim 8 further comprising:  
making the document available on a communication network by which computer systems comprising the ~~first software module binary~~ may read the document.

12. (Cancelled).

13. (Currently Amended) A device comprising:

a processor;

a machine-readable storage medium coupled to the processor by way of a bus,  
the storage medium storing instructions which, when executed by the processor, cause  
the device to

read from a software module binary a set of keys associated with a trusted  
source, wherein the set of keys is embedded in the software module binary, the  
set of keys having been compiled and linked with a software module to generate  
the software module binary,

determine whether a key is traceable to one of the keys in the set of keys,  
the key being presented by or read from a document comprising a digital  
signature of the software module binary,  
determine whether a key presented by or  
accessed from a software module is traceable to one key of a set of keys  
associated with a trusted source;

determine whether the key is identified in a list of compromised keys; and  
if the key is not identified as compromised and is traceable to one of the  
keys in the set of keys, assign the key a trusted status.

14. (Currently Amended) The device of claim 13 in which the instructions, when  
executed by the device, further cause the device to:

verify the integrity of a the document, the document further comprising the key  
~~and~~ the list of compromised keys.

15. (Canceled)

16. (Previously Presented) The device of claim 13 in which the instructions, when  
executed by the device, further cause the device to:

trace the key through a certificate chain to one of the keys in the set of keys.

17. (Currently Amended) A device comprising:

a processor;

a machine-readable storage medium coupled to the processor by way of a bus, the storage medium storing instructions which, when executed by the processor, cause the device to:

produce a document comprising an identification of a ~~first~~ software module binary and a list of compromised keys; and

digitally sign the document using a key presented by or read from a ~~second software module~~ the document and traceable to one key of a set of keys, wherein the set of keys is embedded in the ~~first software module~~ binary, the set of keys having been compiled and linked with a software module to generate the software module binary.

18. (Currently Amended) The device of claim 17 in which the identification of the ~~first~~ software module binary comprises a hash value of the ~~first software module~~ binary.

19. (Currently Amended) The device of claim 17 in which the key is traceable to one of the keys in the set of keys embedded in the ~~first software module~~ binary by way of a certificate chain.

20. (Currently Amended) An article comprising a machine-readable medium having stored thereon instructions which, when executed by a processor, result in:

reading from a ~~first software module~~ binary a set of keys associated with a trusted source, wherein the set of keys is embedded in the ~~first software module~~ binary, the set of keys having been compiled and linked with a software module to generate the software module binary;

determining whether a key is traceable to one of the keys in the set of keys, the key being presented by or read from a document comprising a digital signature of the

~~software module binary~~determining whether a key presented by or read from a second software module is traceable to one of the keys in the set of keys;

determining whether the key is identified in a list of compromised keys; and

if the key is not identified as compromised and is traceable to one of keys in the set of keys, assigning the key a trusted status.

21. (Currently Amended) The article of claim 20 in which the instructions, when executed by the processor, further result in:

verifying the integrity of ~~a the document~~, the document further comprising the key ~~and~~ the list of compromised keys.

22. (Cancelled).

23. (Previously Presented) The article of claim 20 in which the sequence of instructions, when executed by the processor, further result in:

tracing the key through a certificate chain to one of the keys in the set of keys.

24. (Currently Amended) An article comprising a machine-readable medium having stored thereon instructions which, when executed by a processor, result in:

producing a document comprising an identification of a ~~first~~ software module binary and a list of compromised keys; and

digitally signing the document using a key presented by or read from ~~a the second software module~~ document and traceable to one key of a set of keys, wherein the set of keys is embedded in the ~~first~~ software module binary, the set of keys having been compiled and linked with a software module to generate the software module binary.

25. (Currently Amended) The article of claim 24 in which the identification of the ~~first~~ software module binary comprises a hash value of the ~~first~~ software module binary.

26. (Currently Amended) The article of claim 24 in which the key is traceable by way of a certificate chain to one of the keys in the set of keys embedded in the ~~first~~ software module binary.